Health Certificate No
(Valid only if the USDA Veterinary
Seal appears over the Certificate No.)

EXPORT CERTIFICATE

for Horses Permanently Imported into Hong Kong
- All the pages must be completed in English ⁽¹⁾ and must travel with the horse.
Please tick the appropriate box to indicate the option chosen.

	TION I IDENT	IFICATION						
	information can be one same flight and fro			e schedu	le or furthe	er rows can be	added as requ	ired. Horses must b
am	e	Colour	Sex	Age	Breed	Microchip number and/or tattoo*	Passport Number*	Issuing/Validating Authority*
	er an identification silh TION II ORIGI Exporting country/M Competent Authority	N, TRANSPO Iacau ⁽²⁾ :	ORT ANI	DESTI	NATION			
EC	TION II ORIGI	N, TRANSPO Iacau ⁽²⁾ :	ORT ANI	DESTI	NATION			
EC	TION II ORIGI Exporting country/M Competent Authority	N, TRANSPO Iacau ⁽²⁾ : y ⁽³⁾ : f consignor ⁽⁴⁾ :_	ORT ANI	D DESTI	NATION			
EC .) .)	Exporting country/M. Competent Authority Name and address of	N, TRANSPO Iacau ⁽²⁾ : $y^{(3)}$: f consignor ⁽⁴⁾ : rt Quarantine J	premises:	D DESTI	NATION			
EC))	Exporting country/M Competent Authority Name and address of Address of Pre-expo	N, TRANSPO Iacau ⁽²⁾ : y ⁽³⁾ : f consignor ⁽⁴⁾ : rt Quarantine j of origin befo	premises:	D DESTI	oort Quarant	tine:		

(Version: Sept. 2011)
* Delete as appropriate

Special Permit No.: _

Health Certificate No
(Valid only if the USDA Veterinary
Seal appears over the Certificate No.)

SECTION III	HEALTH INF	ORMATION

Date of entry into premises of II(c):

I, autho	, a USDA accredited veterinarian authorised by the competent veterinary prity ⁽³⁾ of the exporting country/Macau to certify horses for export, hereby declare that:
(a)	I have examined the horse identified in this certificate within 24 hours prior to departure from the pre-export quarantine (PEQ) facility and found it to be free from clinical signs of infectious or contagious disease, free from external parasites and fit to travel.
(b)	The horse has been isolated for at least *21/40 ⁽⁵⁾ days on the premises of II(c), which is an Official Government approved pre-export quarantine (PEQ) facility and was supervised by a full-time Government salaried veterinary surgeon or by a veterinary surgeon accredited by the Government.

(c) If the horse has, in the last 6 months, been in any country where African horse sickness has occurred in the last 2 years, then the horse was quarantined for a minimum of 40 days in *Culicoides* proof facilities prior to export from that country.

(d) Residency:

- The horse has been continuously resident in the country of export/Macau for at least 60 days prior to the date of export.
- (e) The exporting country/Macau has either been African Horse Sickness (AHS) free for the last two years and vaccination against AHS has not been practiced for the last 12 months, or it has an officially recognised AHS Free Zone⁽⁶⁾. AHS is a notifiable disease in the exporting country/Macau. The horse has not been on any premises where AHS has occurred in the past 60 days and the horse has not been infected with AHS in the past 60 days.
- (f) In the last 60 days the exporting country/Macau has been free from Venezuelan equine encephalomyelitis and glanders for the last two years and the horse has not been vaccinated against Venezuelan equine encephalomyelitis in the past 60 days.
- (g) The horses have not been on any premises where the diseases listed below occurred in the 60 days prior to export, nor have the horses been infected with the diseases listed below during the 60 days prior to export. The diseases listed below have not occurred on the PEQ in the last 60 days.

Anthrax**	Equine influenza	Scabies
Contagious equine metritis**	Equine piroplasmosis	St. Louis encephalitis
Dourine**	Equine viral arteritis	Strangles (Streptococcus equi)
Eastern equine encephalomyelitis**	Glanders**	Surra
Epizootic lymphangitis	Hendra virus infection	Venezuelan equine encephalomyelitis**
Equine ehrlichiosis	Horse mange	Vesicular stomatitis**
Equine encephalosis	Horse pox	Western equine encephalomyelitis**
Equine herpes virus (abortigenic and neurotropic) infection	Japanese encephalitis	
Equine infectious anaemia**	Nipah virus infection	

(Version: Sept. 2011)

^{*} Delete as appropriate

Health Certificate No
(Valid only if the USDA Veterinary
Seal appears over the Certificate No.)

The diseases with a double asterisk (**) listed above are compulsorily notifiable in the exporting country/Macau.

SECTION IV TESTING AND VACCINATION (7&8)

- (a) Whilst the horse is in PEQ blood samples were taken from the horse at least 7 days after entry into PEQ (excluding EVA, EI, and VS) and subjected to the following tests with **negative** results (unless otherwise stated) in each case⁽⁸⁾.
- (b) No vaccines have been administered to the horse within 14 days prior to export to Hong Kong.
- (c) The original or certified copies of all laboratory tests and vaccination certificates (if vaccinations are recorded in the horse's passport a certified copy of the relevant pages of the passport is **still required**) **must be attached** to this certificate ⁽¹⁰⁾.
- (d) All sections must be completed by inserting a tick \checkmark in the appropriate box.

i.	African horse sickness	OR	The horse has not, during the last 60 days, been in any country in which AHS has been reported in the last 2 years and in which vaccination against AHS has been practiced in the last 12 months.
		OR	The horse has been resident in Singapore, or the United Kingdom, or another country approved by Hong Kong Government and the approval documentation is attached, for at least 30 days since importation from South Africa and was tested for African horse sickness (AHS) prior to export from South Africa (these test results do not have to be attached to this documentation).
			The horse was exported directly from an AHS infected country from within the official AHS free zone of a country, and an antigen enzyme-linked immunosorbent assay (ELISA) test has been carried out on two samples of blood taken with an interval of between 21 and 30 days on
ii.	Dourine	□ OR	No case of dourine has been reported in the exporting country/Macau in the last 12 months.
			The complement fixation test (CFT) on
iii.		Duri	ng the 90 days immediately prior to export the horse was administered:
	vaccination		A primary course of approved vaccinations against equine influenza comprising of at least 2
			doses with an interval of 4 to 6 weeks or according to the terms of vaccine registration with the relevant government authority.
		OR	· · · · · · · · · · · · · · · · · · ·
			· · · · · · · · · · · · · · · · · · ·
iv.	Equine influenza testing	OR A na	A booster vaccination against equine influenza which was given within 12 months of a primary course, or within 12 months of a booster vaccination where it, and any other previous booster vaccinations, had been administered annually within a regular 12-month period since the primary course (which consisted of at least 2 doses with an interval of 4 to 6 weeks or according to the terms of vaccine registration with the relevant government
iv.		OR A na	A booster vaccination against equine influenza which was given within 12 months of a primary course, or within 12 months of a booster vaccination where it, and any other previous booster vaccinations, had been administered annually within a regular 12-month period since the primary course (which consisted of at least 2 doses with an interval of 4 to 6 weeks or according to the terms of vaccine registration with the relevant government authority). **sopharyngeal swab was collected from the horse within 48 hours prior to departure*
iv.		OR A na from	A booster vaccination against equine influenza which was given within 12 months of a primary course, or within 12 months of a booster vaccination where it, and any other previous booster vaccinations, had been administered annually within a regular 12-month period since the primary course (which consisted of at least 2 doses with an interval of 4 to 6 weeks or according to the terms of vaccine registration with the relevant government authority). **Ropharyngeal swab was collected from the horse within 48 hours prior to departure the pre-export quarantine (PEQ) facility and was subjected to the following test:

(Version: Sept. 2011)

^{*} Delete as appropriate

Health Certificate No
(Valid only if the USDA Veterinary
Seal appears over the Certificate No.)

		OR	
			The ESPLINE Influenza A and B-N kit manufactured by Fujirebio Inc. on
		OR	
			Another test as approved by AFCD.
			Another test as approved by APCD.
v.	Equine infectious anaemia		The immunodiffusion (Coggins) test on ⁽⁹⁾ .
vi.	Equine piroplasmosis		The indirect fluorescent antibody test (IFAT) for <i>Theileria equi</i> and <i>Babesia caballi</i> on
vii.	Equine viral arteritis		The serum neutralisation test (SNT) on
viii.	Hendra virus		No case of Hendra virus infection has been reported in the exporting country/Macau in the
		OR	last 2 years.
			An ELISA test on ⁽⁹⁾ . If the ELISA test was positive then the horse was tested for Hendra virus with the VNT on ⁽⁹⁾ .
ix.	Nipah virus		No case of Nipah virus infection has been reported in the exporting country/Macau in the
		OR	last 2 years.
			An ELISA test on ⁽⁹⁾ . If the ELISA test was positive then the horse was tested for Nipah virus with the VNT on ⁽⁹⁾ .
х.	Rabies		No case of terrestrial rabies has been reported in the exporting country/Macau in the last 2 years.
		OR □	During the 60 days prior to export or for the period in the exporting country/Macau, the horse has not been exposed to rabies nor been on any premises with a case of rabies. The
			horse has not been vaccinated against rabies or the horse was vaccinated against rabies using an approved vaccine not less than 30 days and not more than 12 months prior to export.
xi.	Vesicular stomatitis	□ OR	No case of vesicular stomatitis has been reported in the exporting country/Macau in the last 12 months.
			During the 60 days prior to export, the horse has not been on any premises within 50 kilometres of a reported case of vesicular stomatitis in the last 12 months. The horse was tested for vesicular stomatitis with the virus neutralisation test (VNT) or an antigen ELISA with a sample collected on
xii.	Western and Eastern		No case of western and eastern equine encephalomyelitis has been reported in the exporting country/Macau in the last 2 years.
	equine	OR	country/macad in the last 2 years.
	encephalomyelitis		The horse was vaccinated against Western and Eastern equine encephalomyelitis with inactivated vaccine on within 6 months to 30 days prior to export.
		OR □	The horse was kept in AFCD approved vector proof facilities for 21 days prior to export.

Health Certificate No
(Valid only if the USDA Veterinary
Seal appears over the Certificate No.)

xiii.	Surra	□ No case of surra has been reported in the exporting country/Macau in the last 2 years. OR
		The horse has been kept in vector protected facilities during PEQ and treated with an effective vector repellent/insecticide each time it left the facilities. A blood sample has been taken on the and tested using an antibody-detection ELISA and microhaematocrit centrifugation technique for surra.
xiv.	Japanese encephalitis	As Japanese encephalitis is endemic in Hong Kong, importers are advised to vaccinate their horses prior to import.

(e)

	(e) T	The horse is not intended for slaughter under a national programme of infectious or contagious disease eradication.				
OR So far as can be determined the horse is less than 7 months pregnant and has been continuously resident, si last being covered, in an establishment or establishments in which no cases of contagious equine metritis	(f) Pregnancy:					
so far as can be determined the horse is less than 7 months pregnant and has been continuously resident, si last being covered, in an establishment or establishments in which no cases of contagious equine metritis		the horse is not pregnant				
last being covered, in an establishment or establishments in which no cases of contagious equine metritis	OR	ł control de la control de				
		so far as can be determined the horse is less than 7 months pregnant and has been continuously resident, since				
equine viral abortion have occurred during the last 12 months.		last being covered, in an establishment or establishments in which no cases of contagious equine metritis o				
		equine viral abortion have occurred during the last 12 months.				

SECTION V PRE-EXPORT QUARANTINE (PEQ)

- The PEQ premises are officially approved for the export of horses by the competent authority of the exporting (a) country/Macau⁽³⁾.
- The PEQ premise has been approved as meeting AFCD requirements.
- The horse was thoroughly examined for the presence of external parasites by either an Official Veterinary Officer or a (c) designated veterinarian within 24 hours prior to departure from the pre-export quarantine (PEQ) facility. A systematic approach was undertaken with close examination of ears, false nostrils, under body areas (axilla, inguinal, under mandible), perineum, mane and tail.

OR	
	Ticks were found and all horses in the premises were immediately treated with a parasiticide effective against
	ticks. Subsequent re-inspection established that ticks were no longer present. The Hong Kong Government has

- has been advised and has accepted the horse for permanent importation and the approval documentation is attached.
- The horse was treated with a broad spectrum parasiticide, licenced/registered for use on horses, capable of killing ticks and used according to the manufacturer's recommendations within 48 hours prior to departure from the pre-export quarantine (PEQ) facility.
- (e) The horse was treated with a broad spectrum anthelmintic, licensed/registered for use on horses, during PEQ.
- (f) All horses in the PEQ remained free from evidence of infectious disease and had no contact with horses not of the same health status.
- No horses have been added to, or removed from, the quarantine group intended for export to Hong Kong without official notification.
- (h) During PEQ the horse has not been mated.

No ticks were found

- (i) During PEQ the horse has not left the PEQ facilities for training without prior AFCD approval
- If the horse has left the PEQ facilities for other reasons AFCD has been informed and has given approval for the horse to continue PEQ.

Health Certificate No
(Valid only if the USDA Veterinary
Seal appears over the Certificate No.

SECTION VI CERTIFICATION VALIDITY

This certification is valid for 48 hours prior to the sche	duled export and unt	til importation into H	ong Kong. If	a flight is
delayed longer than 48 hours then re-certification is red	quired.			

Name of Issuing Authorized Veterinarian	Name of Endorsing Federal Veterinarian
Signature of Issuing Authorized Veterinarian	Signature of Endorsing Federal Veterinarian
Date	Date

SECTION VII TRANSPORT INFORMATION [This section is to be certified either by the same official veterinarian who has certified the foregoing section or by an authorised transportation agent]

- (a) The vehicle for the transport of the horse to the port of exit was thoroughly cleaned and disinfected with an officially approved disinfectant and was treated with an officially approved insecticide to my satisfaction immediately prior to the loading of the animal.
- (b) During the transportation, after due enquiry and to the best of my knowledge the horse will have no contact with animals not of the same certified health status.
- (c) Procedures are in place to ensure that the containers that the horses will be transported in and loading facilities will be thoroughly cleaned and disinfected prior to use.
- (d) The containers meet the design and species requirements recommendations of the International Air Transport Association.

Sigr	nature:	Date:			
Nan	ne:				
Cap	acity	Company:			
Add	lress:				
		Fax:			
Ema	ail:				
SEC	CTION VIII	ACKNOWLEDGEMENT BY THE CONSIGNOR OR HIS AUTHORISED AGENT			
]	I	(name) hereby acknowledge the following:			
(a)	The horse idays.	must undergo post arrival quarantine (PAQ) in a Government approved quarantine premises for at least 14			
(b)	certification	ent of the horse identified in SECTION I of this certificate, arriving in Hong Kong without the correct on or in any other way not having met these requirements, the horse and any in-contact horse or equipment etained in PAQ, exported at the importer's expense or destroyed and disposed of at the importer's expense.			
(c)		e PAQ in Hong Kong, the horse may be subjected to any testing or any treatment prescribed by the Hong ternment at the consignor's expense.			
(d)		horse fails a test or shows signs of disease that horse and any in-contact horses may be, at the consignor's e, detained in PAQ for further testing and/or observation or exported or destroyed and disposed of without			
Sigr	nature:	Date:			
Capacity		Company:			
Add	lress:				
Tel.	No.:	Fax:			
Ema	ail:				
Oth	er contact det	ails in event of an emergency outside normal working hours:			

FOOTNOTES:

- 1. The language of the exporting/importing country(ies)/Macau may also be used providing that it appears below the English version on the same certification. In the event of any differences, the English version will prevail.
- 2. Scheduled countries for permanent import of horses: Australia, Canada, Denmark, France, Germany, Italy, Japan, Peninsular Malaysia, New Zealand, the Republic of Ireland, the Republic of South Africa (currently suspended from transporting horses directly to Hong Kong), Singapore, the United Arab Emirates, the United Kingdom (Great Britain & Northern Ireland) and the United States of America. The Special Administrative Region of Macau is also classified as scheduled country in the context of this document.
- 3. Competent Authority: The government authority of the exporting country/Macau, which is responsible to issue official certification for the export of horses.
- 4. The consignor or his authorised agent must complete the acknowledgement (SECTION IX) attached to this certificate.
- 5. For horses imported directly from a country where African horse sickness has occurred in the last 2 years, then pre-export quarantine must be for a minimum of 40 days in a government facility that have *Culicoides* proof stables in order to allow the testing to be carried out.
- 6. An official African horse sickness free zone of a country, territory or part of a territory as designated by AFCD.
- 7. All serological tests and vaccinations must be carried out in accordance with the latest version of the OIE Manual of Standards for Diagnostic Tests and Vaccines if OIE standards exist. The laboratory reports (or certified copies) for tests carried out must be attached to this certificate and officially endorsed by the certifying veterinarian. Proof of vaccinations must also be attached.
- 8. Blood samples must be sent to a laboratory approved by the veterinary authority of that country/Macau.
- 9. Enter date the blood sample was collected.
- 10. Certified copies may be photocopies of the original laboratory results bearing the name, title, signature, date and official letterhead of the laboratory. If copies of the laboratory reports are not available then the tests will be deemed to have not taken place and must be performed again by the exporting country/Macau.